United States Department of Agriculture

United States Department of Agriculture
Animal and Plant Health Inspection Service
Plant Protection & Quarantine
4700 River Road
Riverdale, MD 20737

# Permit to Move Live Plant Pests, Noxious Weeds, and Soil

Interstate Movement

**Regulated by 7 CFR 330**

**This permit was generated electronically via the ePermits system**

| | | | |
|---|---|---|---|
| **PERMITTEE NAME:** | Dr. Maher Al Rwahnih | **PERMIT NUMBER:** | P526P-19-00232 |
| **ORGANIZATION:** | Foundation Plant Services | **APPLICATION NUMBER:** | P526-181214-025 |
| **ADDRESS:** | 455 Hopkins Rd<br>Davis, CA 95616 | **FACILITY NUMBER:** | 2628 |
| **MAILING ADDRESS:** | 455 Hophins Rd<br>Davis, CA 95616 | **HAND CARRY:** | No |
| | | **DATE ISSUED:** | 01/22/2019 |
| **PHONE:** | 530-574-5463 | | |
| **FAX:** | 530-752-2132 | **EXPIRES:** | **01/22/2022** |
| **DESTINATION:** | 455 Hopkins Rd, Davis, CA 95616 | | |
| **RELEASE:** | No | | |

Under the conditions specified, this permit authorizes the following:

| Regulated Article | Life Stage(s) | Intended Use | Shipment Origins | Originally Collected | Culture Designation |
|---|---|---|---|---|---|
| American plum line pattern virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | APLPV |
| Apple Stayman blotch Virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple chat fruit agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple chlorotic leaf spot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ACLSV |
| Apple dimple fruit viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ADFVd |
| Apple false sting agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple flat limb agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

Permit Number P526P-19-00232

| | |
|---|---|
| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS.<br>  <br>Osmond Baron | DATE<br>01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Apple flat limb phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple fruit crinkle viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | AFCVd |
| Apple green crinkle viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple latent spherical virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ALSV |
| Apple mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ApMV |
| Apple proliferation phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple rough skin agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple rubbery wood agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple rubbery wood phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple russet ring viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple scaly bark viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apple scar skin viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ASSVd |
| Apple stem grooving virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ASGV |
| Apple stem pitting virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ASPV |
| Apple twisted twig agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Apricot latent ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ALRSV |
| Apricot latent virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ApLV |
| Apricot ring pox viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Arabis mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ArMV |
| Arabis mosaic virus large satellite RNA | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ArMV large satellite RNA |
| Arabis mosaic virus small satellite RNA | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ArMV small satellite RNA |
| Artichoke Italian latent virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | AILV |
| Black locust witches' broom phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Black raspberry necrosis virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BRNV |
| Black raspberry necrosis virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BRNV |
| Black raspberry witches' broom phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Blackberry chlorotic ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BCRV |
| Blackberry chlorotic ringspot virus | Any | Research - Lab | Continental U.S., Continental U.S. | Originally Collected from USA including territories | |
| Blackberry crinkle virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Blackberry virus E (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BVE |
| Blackberry virus X (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BVX |
| Blackberry virus Y | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BVY |
| Blackberry yellow vein virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BYVaV |
| Blueberry leaf mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BLMV |
| Blueberry mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BlMaV |
| Blueberry necrotic ring blotch virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BNRBV |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Blueberry red ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BRRV |
| Blueberry scorch virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BlScV |
| Blueberry shock virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BlShV |
| Blueberry shoestring virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | BBSSV |
| Candidatus Phytoplasma pruni | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Candidatus Phytoplasma pruni | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Candidatus Phytoplasma prunorum | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Candidatus Phytoplasma prunorum | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Cherry green ring mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CGRMV |
| Cherry leaf roll virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CLRV |
| Cherry lethal yellows phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Cherry little leaf phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Cherry mottle leaf virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CMLV |
| Cherry necrotic rusty mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CNRMV |
| Cherry rasp leaf virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CRLV |
| Cherry rosette virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CRV |
| Cherry rusty mottle agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Cherry virus A | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CVA |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Chrysanthemum witches' broom phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Cucumber mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CMV |
| Cucumber mosaic virus satellite RNA several types | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | CMV satellite RNA several types |
| European stone fruit yellows phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Ficus carica virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | FicCV |
| Fig badnavirus 1 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | FBaV-1 |
| Fig leaf chlorosis virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Fig mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | FMV |
| Fig virus S | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | FVS |
| Figwort mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | FMV |
| Grapevine Pinot gris virus (GPGV) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine Syrah virus-1 (GSyV-1) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine Tunisian ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GTRV |
| Grapevine Vein Feathering Virus (GVFV) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine asteroid mosaic-associated virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine deformation virus (GDefV) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine fanleaf virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine fleck virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Grapevine leafroll disease (GLRaV Car) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine leafroll-associated virus 1 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-1 |
| Grapevine leafroll-associated virus 10 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-10 |
| Grapevine leafroll-associated virus 2 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-2 |
| Grapevine leafroll-associated virus 3 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-3 |
| Grapevine leafroll-associated virus 4 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-4 |
| Grapevine leafroll-associated virus 5 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-5 |
| Grapevine leafroll-associated virus 6 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-6 |
| Grapevine leafroll-associated virus 7 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-7 |
| Grapevine leafroll-associated virus 8 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-8 |
| Grapevine leafroll-associated virus 9 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GLRaV-9 |
| Grapevine red blotch associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GRBaV |
| Grapevine red globe virus (GRGV) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine rootstock stem lesion associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GRSLaV |
| Grapevine rubus stunt phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine rupestris stempitting associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine rupestris vein feathering virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GRVFV |
| Grapevine vein clearing virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GVCV |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Grapevine virus A | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GVA |
| Grapevine virus B | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GVB |
| Grapevine virus D | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GVD |
| Grapevine virus E (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GVE |
| Grapevine virus F (GVF) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Grapevine yellow speckle viroid 1 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GYSVd-1 |
| Grapevine yellow speckle viroid 2 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | GYSVd-2 |
| Grapevine yellows phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Hop latent viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | HLVd |
| Hop stunt viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | HSVd |
| Impatiens necrotic spot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Little cherry virus 1 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | LChV-1 |
| Little cherry virus 2 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | LChV-2 |
| Nectarine luteovirus | Any | Research - Lab | Continental U.S., Continental U.S. | Originally Collected from USA including territories | |
| Nectarine virus M | Any | Research - Lab | Continental U.S., Continental U.S. | Originally Collected from USA including territories | |
| Olive latent ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | OLRSV |
| Olive latent virus 1 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | OLV-1 |
| Olive latent virus 2 | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | OLV-2 |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Olive leaf yellowing-associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | OLYaV |
| Peach Latent Mosaic Viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PLMVd |
| Peach mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PcMV |
| Peach rosette mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PRMV |
| Peach rosette phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Peach wart agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Peach yellow leaf roll phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Peach yellow leafroll phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Peach yellows phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear blister canker viroid | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PBCVd |
| Pear decline Taiwan phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear decline phytoplasma (tentative) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear latent virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PeLV |
| Pear rough bark agent (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear russet ring viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear stony pit viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Pear vein yellows virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PYVY |
| Pecan bunch phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

| | | | | |
|---|---|---|---|---|
| Phytoplasma allocasuarinae (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma americanum (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma arantifolia (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma asteris (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma aurantifolia Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma australasia Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma australiense Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma brasiliense Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma caricae (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma castaneae Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma cocosnigeriae (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma cocostanzaniae (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma costaricanum (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma cynodontis (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma cynodontis (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma fragariae (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma fraxini Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma graminis Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | |
|---|---|---|---|---|
| Phytoplasma japonicum (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma luffae (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma lycopersici (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma mali (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma omanensis (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma oryzae (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma palmae (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma phoenicium (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma phoenicium Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma pini (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma pruni (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma prunorum (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma pyri (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma rhamni (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma rubi (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma solani (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma sp. | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |
| Phytoplasma spartii (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Phytoplasma spp. (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma sudamericanum (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma tamaricis (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma trifolii (Candidatus): | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma ulmi (Candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma vitis (candidatus) | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Phytoplasma ziziphi Candidatus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Plum bark necrosis and stem pitting-associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PBNSPaV |
| Prune dwarf virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PDV |
| Prunus luteovirus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Prunus marafivirus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Prunus necrotic ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PNRSV |
| Prunus virus S | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | PruVS |
| Prunus virus T (PrVT) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Rose mosaic virus complex | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Rose rosette virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | RRV |
| Rose tobamovirus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Rose tombusvirus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Rose yellow leaf virus (RYLV) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Rose yellow mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | RoYMV |
| Rose yellow vein virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | RYVV |
| Strawberry crinkle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SCV |
| Strawberry fleck virus virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SCFaV |
| Strawberry green petal phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Strawberry latent C virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SLCV |
| Strawberry latent ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SLRSV |
| Strawberry latent ringspot virus satellite RNA | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SLRSV satellite RNA |
| Strawberry mild yellow edge associated virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SMYEaV |
| Strawberry mild yellow edge virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SMYEV |
| Strawberry mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SMoV |
| Strawberry multicipita phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Strawberry multiplier phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Strawberry necrotic shock virus (tentative) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SNSV |
| Strawberry pallidosis virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPaV |
| Strawberry pseudo mild yellow edge virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPMYEV |
| Strawberry vein banding virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SVBV |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Strawbery latent ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SLRSV |
| Sweet potato chlorotic fleck viral agent | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Sweet potato chlorotic stunt virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPCSV |
| Sweet potato feathery mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPFMV |
| Sweet potato latent virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPLV |
| Sweet potato leaf curl Georgia virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPLCGV |
| Sweet potato leaf curl virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPLCV |
| Sweet potato leaf speckling virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPLSV |
| Sweet potato mild mottle virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPMMV |
| Sweet potato mild speckling virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPMSV |
| Sweet potato sunken vein virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPSVV |
| Sweet potato vein mosaic virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPVMV |
| Sweet potato virus G | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPVG |
| Sweet potato virus Y (unclassified) | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPVY |
| Sweet potato yellow dwarf virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | SPYDV |
| Tobacco ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | TRSV |
| Tobacco ringspot virus satellite RNA | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | TRSV satellite RNA |
| Tobacco streak virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | TSV |

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

| | | | | | |
|---|---|---|---|---|---|
| Tomato black ring virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | TBRV |
| Tomato mosaic virus | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| Tomato ringspot virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | ToRSV |
| Tomato spotted wilt virus | Any | Research - PPDT/NCPN | Continental U.S., Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| X-disease of chokecherry phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |
| X-disease of peach phytoplasma | Any | Research - PPDT/NCPN | Continental U.S. | Originally Collected from Foreign and Domestic Locations | |

## PERMIT GUIDANCE

1) This permit does not authorize movement or release into the environment of genetically engineered organisms produced with the regulated organisms described in this permit. Importation, interstate movement, and environmental release of genetically engineered plant pests require a different permit issued under regulations at 7 CFR part 340. Any unauthorized interstate movement or environmental release, including accidental release, of a regulated GE organism would be a violation of those regulations. Additional guidance and contact information for APHIS Biotechnology Regulatory Services, can be found at: https://www.aphis.usda.gov/aphis/ourfocus/biotechnology.
2) If an animal pathogen is identified in your shipment, to ensure appropriate safeguarding, please refer to http://www.aphis.usda.gov/import_export/animals/animal_import/animal_imports_an products.shtml
3) If a human pathogen is identified, please refer to the CDC Etiologic Agent Import Permit Program at http://www.cdc.gov/od/eaipp/
4) This permit does not fulfill the requirements of other federal or state regulatory authorities. Please contact the appropriate agencies, such as the U.S. Environmental Protection Agency, the U.S. Fish and Wildlife Service, the U.S. Food and Drug Administration, the Centers for Disease Control and Prevention, the APHIS Veterinary Services unit, the APHIS Biotechnology Regulatory Services, or your State's Department of Agriculture to ensure proper permitting.
5) If you are considering renewal of this permit, an application should be submitted at least 90 days prior to the expiration date of this permit to ensure continued coverage. Permits requiring containment facilities may take a longer period of time to process.
6) When the regulated material includes Domestic soil
You must abide by all local quarantines see: http://www.aphis.usda.gov/planthealth/pests_and_diseases
Of special concern for movement of soil from certain continental areas are: IMPORTED FIRE ANTS: http://www.aphis.usda.gov/plant-health/i

Permit Number P526P-19-00232

| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

fa; GOLDEN NEMATODES: http://www.aphis.usda.gov/planthealth/gna>; POTATO/PALE CYST NEMATODE: http://www.aphis.usda.gov/planthealth/pcn
; PHYTOPHTHORA RAMORUM (Sudden Oak Death): http://www.aphis.usda.gov/plant-health/sod

## PERMIT CONDITIONS

USDA-APHIS issues this permit to Maher Al Rwahnih of University of Foundation Plant Services in Davis, California. This permit authorizes receipt and possession of the quarantine material listed herein from various researchers of the Continental U.S. to California. This permit is for use in Research - PPDT/NCPN as positive controls at the designated APHIS inspected and approved facility (CF# 2628) listed in the permit; and is authorized under authority of 7 CFR319.37 and 7 CFR 330. The scope of this permit authorization includes propagation of any plant parts that are potentially infected / infested with plant pests; plant pest diagnostic activities, continued curation, maintenance, and use of derived cultures / organisms and infected plant material within the facility according to standard operating procedures incorporated by reference herein; and eventual release of clean plant material into the environment. SOPs are adequate.

1. 
- This permit is issued by the United States Department of Agriculture's Animal and Plant Health Inspection Service (APHIS). It conveys APHIS regulations and requirements for the material(s) listed on this permit. It does not reduce or eliminate your legal duty and responsibility to comply with all other applicable Federal and State regulatory requirements.
- The permit number or a copy of the permit must accompany the shipment.
- You must be an individual at least 18 years old, or legal entity such as partnership, corporation, association, or joint venture.
- You are legally responsible for complying with all permit requirements and permit conditions.
- If you violate any applicable laws associated with this permit, you may face substantial civil or criminal penalties. We may cancel all current permits and deny future permit applications.
- Without prior notice and during reasonable hours, authorized Federal and State Regulators must be allowed to inspect the conditions associated with the regulated materials/organisms authorized under this permit.

2. The permit holder must:

- maintain a valid PPQ526 permit so long as the regulated materials/organisms are alive or viable,



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
| Osmond Baron | 01/22/2019 |

- not assign or transfer this permit to other persons without APHIS PPQ authorization,
- maintain an official permanent work assignment, residence, or affiliation at the address on this permit,
- notify the Pest Permit Staff as soon as possible of any change in the permit holder's work assignment, residence, or affiliation,
- notify the Pest Permit Staff of the receipt of unauthorized and/or misdirected shipments of regulated materials/organisms,
- adequately mitigate environmental impacts resulting from unauthorized release of regulated materials/organisms and notify the Pest Permit staff immediately if one occurs,
- notify the Pest Permit Staff if the facility is damaged/destroyed or if you wish to decommission the facility,
- destroy all regulated materials/organisms prior to departure from the organization unless other arrangements are confirmed by the Pest Permit Staff.

Notifications to the Pest Permit Staff must be made via 866-524-5421 or pest.permits@aphis.usda.gov within one business day of the event triggering a notification.

3. This permit does not authorize movement or use of plant pathogens listed in the Public Health Security and Bioterrorism Preparedness and Response Act of 2002. If any organism listed as a Select Agent is identified from materials associated with this research, the permit holder is required to notify APHIS, Agriculture Select Agent Services (AgSAS) immediately by phone at 301-851-3300 option 3, and within seven (7) days submit APHIS/CDC Form 4A (Report of Identification of a Select Agent or Toxin in a Clinical or Diagnostic Laboratory) to APHIS, AgSAS; 4700 River Rd, Unit 2, Riverdale, MD 20737 (see instructions at: https://www.selectagents.gov/resources/APHIS-CDC_Form_4_Guidance_Document.pdf). Failure to comply with this requirement is a violation of the Agricultural Bioterrorism Protection Act of 2002. Plant pathogen select agents currently listed include: *Peronosclerospora philippinensis (Peronosclerospora sacchari), Conothyrium glycines (formerly Phoma glycinicola and Pyrenochaeta glycines), Ralstonia solanacearum, Rathayibacter toxicus, Sclerophthora rayssiae, Synchytrium endobioticum, and Xanthomonas oryzae.*



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

4. All persons working with the listed regulated materials/organisms must be informed of these permit conditions. Anyone working with these materials/organisms must agree to and sign/initial these conditions before beginning work. These signed conditions do not need to be submitted to USDA/APHIS but must be readily accessible and made available to Federal and State regulators upon request.

   Note: these conditions may be copied and stored electronically for electronic signature and initialing provided that the permit number, authorized materials/organisms and life stages, release locations if applicable, and authorization statement all appear on the document with the permit number. Signing these conditions only indicates that the person working under this permit has read them; the permit holder is the sole responsible party under this permit.

5. Field-collected samples of infected plant material must be bare-root or washed free of soil prior to shipment to the permit holder.
   Plant samples deliberately inoculated with these organisms in a controlled environment such as a laboratory, growth chamber, or greenhouse that have been grown in sterilized soil or soilless mix may be shipped to the permit holder with attached soil or growing media.

6. All packages for transport must minimally consist of both inner/primary and outer/secondary packages securely sealed so that both are effective barriers to escape or unauthorized dissemination of the listed materials/organisms. The inner/primary package(s) will contain all regulated materials/organisms and must be cushioned and sealed in such a way that it remains sealed during shock, impact, and pressure changes that may occur. The outer/secondary shipping container must be rigid and strong enough to withstand typical shipping conditions (dropping, stacking, impact from other freight, etc.) without opening.

7. Upon receipt of the regulated articles at the approved facility, the shipping container should be opened in a secure location as identified in the SOP for the said facility that does not vent into the outside environment. All primary containers must be chilled to a temperature between 1.3 to 3.4 C (35 to 38 F) for 4 hours prior to opening within the certified Biosafety Cabinet Class II, Type A within said facility.

8. Any indications of mobile plant pests shall require immediate action to safeguard or eliminate the pests sufficiently to prevent dissemination of mobile plant pests outside of the quarantine facility. Any pest findings and necessary reconditioning must be recorded for subsequent reporting. Quarantine and regulated non-quarantine pest detections must be reported to the appropriate personnel of the USDA APHIS PPQ State Plant Health Director's Office within two business days. Notify and seek assistance from the USDA APHIS PPQ State Plant Health Director's Office when unknown or unidentifiable pests are detected. Record all such encounters for subsequent reporting.



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

9. All plant material that has been inspected and determined to be visually free of plant pests must be transferred to appropriate media and conditions for subsequent plant growth, evaluation or testing within the quarantine facility, returned to cold storage in primary containers or other suitable containers in said facility, or destroyed.

   While plants are maintained under this permit, access should be restricted to authorized personnel as approved by the permit holder. Re-export or transportation of plant materials out of quarantine facility is not authorized until released. All operations must be consistent with information submitted in association with above listed APHIS facility inspection number.

10. All research activities, plant inoculations and subsequent disease development must occur within the APHIS approved Containment Facility identified above that has been inspected and found adequate for containment of the organisms received under this permit. Access to this facility must be restricted to authorized personnel.

11. Propagation/Growing:
    The regulated articles transported under this permit must be grown for a period of 30 days within an isolated area of quarantine facility, as identified on the SOP. This area shall be free of other plants to observe the imported plants for the presence of mobile pests. Should plant pests be observed, the plants must be treated accordingly to remove the pest presence prior to relocating into the standard growing area of facility.

    During this interval all mobile plant pests collected / isolated must be identified. Pest identification services and treatment recommendations are provided or facilitated by the USDA APHIS PPQ State Plant Health Director's office. Appropriate pest mitigation measures to eliminate mobile plant pests must be implemented as soon as practicable to prevent dissemination.
    Plant material free of mobile plant pests or potentially air borne pathogens may be transferred to a standard growing area after 30 days, as described in the SOP, that is appropriate for the plant material, and for containment of potential plant pests.

12. Plants under this permit must be periodically monitored for arthropod infestation and/or plant disease symptoms. During this interval all mobile plant pests collected / isolated must be identified. Pest identification services and treatment recommendations are provided or facilitated by the USDA/APHIS/PPQ State Plant Health Director's office. The pests identified shall be recorded and documented onto the annual report submitted to the PPQ Permit Unit.
    Plants must remain in the quarantine facility until target plant pests cannot be detected and mobile plant pests are treated to prevent pest dissemination; or destroyed by autoclaving, incineration, or chemical sterilization.

    Measures to monitor for and control domestic mobile plant pests and/or disease vectors (e.g. black lights, yellow sticky boards, insecticides) must be in place in all areas of quarantine facility to minimize domestic mobile plant pest transmission of any plant pathogens. Treatments appropriate for any mobile pests that are identified on plant material must be applied in a timely fashion to



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

prevent pest dissemination. Treated plant material must be subsequently observed and evaluated until verified as mobilpest-free or destroyed.

13. All initial disease diagnostic procedures, isolations, and culture transfers must be made in the appropriate areas of quarantine facility that minimizes the potential for pest dissemination into the outside environment.

    Plant inoculations and subsequent disease development using plant pests derived from regulated articles received under this permit, must occur in an approved area adequate for containment of these pests as identified in the SOP for quarantine facility.

    No intentional vector transmission studies are allowed. For air borne pathogens the plants must be maintained in a facility that does not directly vent to the outside environment. Infected plant material maintained within these facilities must be located at a reasonable distance from clean plant material, soil supplies/potting media, any insectaries, and outside doors to prevent pest dissemination.
14. Greenhouses must be screened to minimize presence of insect vectors.
15. Standard Operating Procedures (SOPs) must be filed with, and approved by, the APHIS PPQ Pest Permit Staff at: email: pest.permits@aphis.usda.gov; phone: 866-524-5421; fax: 301-734-8700; address: 4700 River Road, Unit 133, Riverdale, MD 20737. All contact information must be kept current and the SOPs must be dated. If requirements in the permit conditions are more restrictive than the SOPs, permit conditions take precedence. APHIS PPQ must approve any changes to the SOPs before implementation.

    A list of all persons with access to the containment facility must be maintained and available upon request by Federal or State Regulatory Officials.
16. Modifications to the containment facility or any changes that affect the containment of the regulated materials/organisms must be approved by APHIS prior to making changes. Please contact the Pest Permit Staff (email: pest.permits@aphis.usda.gov; phone: 866-524-5421; address: 4700 River Rd., Unit 133, Riverdale, MD 20737; Fax: 301-734-8700).
17. Records must be kept of all organisms maintained under this permit. Minimally the record will consist of the name of the organism identified to the lowest taxon possible, the country, or US state/territory, where each isolate was collected, and the date the isolate was received. These records must be made available to Federal and State regulators upon request.
18. When not working with the regulated materials/organisms, you must store and/or maintain them within the APHIS approved containment facility identified above. All stored regulated materials/organisms must be kept in a locked area with access limited to authorized personnel.



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

19. Pest-free Status for the Quarantine Material:

All germplasm to be released must be derived from the source plants that tested negative. Only germplasm testing negative for quarantine pests, regulated non-quarantine pests, and other exotic pests can be released into the environment outside of containment for the purpose of establishing mother blocks following approval by USDA/APHIS/PPQ.

For any legal or contractual reasons the plant pests are to be maintained for a long duration of time, Occasional reculturing may be done to ensure long term viability. All reculturing must be done within the quarantine facility.

20. DEVITALIZATION AND WASTE DISPOSAL

All regulated materials/organisms and all items coming in direct contact or exposed to the regulated materials/organisms must be sterilized/sanitized/decontaminated prior to removal from the authorized containment facility. This includes all items from shipping, culturing, care, and maintenance of these regulated materials/organisms. This requirement includes but is not necessarily limited to: packaging directly exposed to the regulated materials/organisms, substrates (culture media, soil, plant materials (food materials or host plants)), leftover/unused/unneeded live cultures, and dead specimens/cultures unless specified otherwise in the permit.

All waste materials must be treated by one of the follow methods prior to disposal:

Use any of the following, either alone or in combination: 1) autoclaved (see protocol below), 2) disposed of off-site by a facility holding a valid PPQ compliance agreement (organisms and/or contaminated waste must be stored in sealed containers prior to pick up by this company), 3) incinerated, 4) immersed in 5,250-6,000 PPM sodium hypochlorite solution (1 part fresh household bleach to 9 parts water) for at least 20 minutes, or 5) immersed in 70 percent alcohol for at least 30 minutes.
Treated waste will be double bagged prior to disposal.

Other sterilization methods are only allowed with prior written agreement from the USDA/APHIS PPQ Pest Permit Staff.
Any equipment, supplies, tools, secondary shipping containers, packing materials (e.g, ice packs), etc. must be sterilized/sanitized/decontaminated prior to reuse, disposal, or removal from containment.

If using an autoclave the following protocol must be used:
a. Waste must be autoclaved at 121 Celsius (250 Fahrenheit) for a minimum of 30 minutes at 15 psi.
b. Autoclave tape or other indicators must be placed on each load prior to treatment. The autoclave tape or other indicator on each container must be checked to verify color change before disposal.



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |

c. The autoclave must be calibrated according to the manufacturer's instructions annually and a commercially available biological indicator kit that uses bacterial spores of Geobacillus stearothermophilus that are rendered unviable at 121 Celsius (250 Fahrenheit) must be used every three months.

OR

The autoclave must be calibrated according to the manufacturer's instructions every two years and a commercially available biological indicator kit that uses bacterial spores of Geobacillus stearothermophilus that are rendered unviable at 121 Celsius (250 Fahrenheit) must be used every two weeks.

d. A written record of the calibration and the biological indicator tests must be maintained. You must follow the manufacturer's instructions for the Geobacillus sterothermophilus and if any growth is observed, you must have the autoclave serviced and retested before it is used again for the regulated articles/organisms listed on this permit.

21. As an alternative to the DEVITALIZATION AND WASTE DISPOSAL requirements listed above, devitalization/destruction of organisms and infected material may be conducted off site by a facility holding a valid PPQ compliance agreement prior to disposal. Vendor may or may not be in the same state. All organisms, contaminants and/or packaging materials must be in sealed containers during transport to this waste management facility in order to prevent any unauthorized dissemination of the regulated articles.
22. There is to be no further movement or distribution of the listed regulated materials/organisms within the United States and its territories unless the recipient holds, or is named as a responsible party on a valid PPQ526 permit for receipt of such materials/organisms.

**END OF PERMIT CONDITIONS**



| THIS PERMIT HAS BEEN APPROVED ELECTRONICALLY BY THE FOLLOWING PPQ HEADQUARTER OFFICIAL VIA EPERMITS. | DATE |
|---|---|
|  Osmond Baron | 01/22/2019 |